

## Epson

### Epson EB S72 - LCD projector - 2100 ANSI lumens - SVGA (800 x 600) - 4:3



The versatile Epson EB-S72 multimedia projector gives a professional performance at work and at home. It is outstanding for business or education presentations, but just as happy bringing big screen entertainment to your living room.

Product Description	Epson EB S72 - LCD projector
Device Type	LCD projector
Built-in Devices	Speaker
Dimensions (WxDxH)	29.5 cm x 22.8 cm x 7.7 cm
Weight	2.3 kg
Image Brightness	2100 ANSI lumens
Image Contrast Ratio	2000:1
Resolution	SVGA (800 x 600)
Native Aspect Ratio	4:3
Bulb type	E-TORL UHE 175 Watt
Bulb life cycle	4000 hour(s) / 5000 hour(s) (economic mode)
Video Input	RGB, S-Video, composite video, component video
Video Output	RGB
Audio Output	Speaker(s) - integrated
Sound Output Mode	Mono 1 Watt
Input Device	Remote control
Power	AC 230V
Power Consumption Operational	234 Watt

## Extended Specs

### General

Device Type	LCD projector
Built-in Devices	Speaker
Width	29.5 cm
Depth	22.8 cm
Height	7.7 cm
Weight	2.3 kg

### Projector / Panel

Image Brightness	2100 ANSI lumens
Image Brightness (Reduced)	1960 ANSI lumens
Image Contrast Ratio	2000:1
Image Size	0.76 m - 8.89 m
Projection Distance	1.17 m - 2.4 m

Throw Ratio	1.45 - 1.96:1
Digital Zoom Factor	1.35x
Resolution	SVGA (800 x 600)
Native Aspect Ratio	4:3
Bulb type	E-TORL UHE 175 Watt
Bulb life cycle	4000 hour(s) / 5000 hour(s) (economic mode)
Features	EPSON 3LCD technology

### Projector Lens System

Focus Type	Manual
Lens Aperture	F/1.44
Zoom Type	Manual
Keystone Correction Direction	Vertical
Vertical Keystone Correction	-30 / +30

### Video Input

Analogue video Signal	RGB, S-Video, composite video, component video
-----------------------	--

### Video Output

Analogue Video Signal	RGB
-----------------------	-----

### Audio Output

Type	Speaker(s) - integrated
Sound Output Mode	Mono
Output Power / Channel	1 Watt
Speaker(s)	1 x mixed channel

### Input Device

Type	Remote control - external - wireless
------	--------------------------------------

### Expansion / Connectivity

Interfaces	1 x VGA / component video input - 15 pin HD D-Sub (HD-15) 1 x composite video input - RCA 1 x S-video input - 4 PIN mini-DIN 1 x audio line-in - mini-phone stereo 3.5 mm 1 x USB - 4 PIN USB Type B
------------	--

### Miscellaneous

Cables Included	1 x VGA cable
Security Features	Security lock slot (cable lock sold separately), password protection

### Power

Power Device	Power supply - internal
Voltage Required	AC 230V
Power Consumption Operational	234 Watt
Power Consumption Operational ( Standby )	0.4 Watt

### Environmental Parameters

Sound Emission	34 dB
----------------	-------

Sound Emission (Economic Mode)	29 dB
--------------------------------	-------

---

\* Computer 2000 is not responsible for any errors in the documentation of products